



RICOH
imagine. change.



- [Improving Productivity >](#)
- [Products >](#)
- [News >](#)
- [Case Studies >](#)
- [Support >](#)

Features

Specifications

Warranty

RICOH 360 Meeting Hub		
Model Name		RICOH Meeting 360 V2
Camera	Field of view (FOV)	Horizontal: 360°, Vertical: 42±2°
	Image sensor	4K x 3K
	Output resolution*1	1920 x 1080, 1280 x 720
	Frame rate*2	30 fps, 10 fps
	Video range	3.6m
	Image processing	Auto White Balance, Auto Exposure, Anti-Flicker, LTM (Local Tone Mapping), Dewarping, Stitch, Cropping, Zoom (Scaler)
Microphone	Method	Three-microphone array
	Directivity	360°
	Audio pickup range	20 ft (6.0m)
	Audio processing	Mute, Auto Gain Control, Noise Reduction, Echo Cancellation

RICOH 360 Meeting Hub			
Speaker	Wattage x Number of speakers		8 W x 3
	Directivity		360°
	Sound Pressure Level (SPL)	Power supply from AC adapter	91 dB (1 m)
		Power supply from PC via USB Type-C cable	81 dB (1 m)
Network*3	Ethernet		10BASE-T, 100BASE-TX, 1000BASE-T
	Wireless LAN		802.11a/b/g/n/ac/ax
Screen layout			<p>1. 360° panoramic image & Auto-selected speakers image [Default]</p> <p>2. 360° panoramic image & Pin Screen image*4</p> <p>3. 360° panoramic image & Pin Screen image with Auto-selected speakers image*4</p> <p>4. 180° panoramic image x 2</p>
Size	Dimensions (W x D x H)		110.2 x 110.2 x 272.6 (mm) / 4.34 x 4.34 x 10.73 (inches)
	Weight		1129 g / 2.49 lb
Interface	USB Type-C port		2 ports (USB 2.0, USB 3.1, PD 3.0)
	Ethernet port*5		RJ-45 x 1 port
	Kensington security slot		Standard slot (3 mm x 7 mm) x 1 slot
	USB power delivery	Power supply from AC adapter	DC20 V / 2.25 A (max), AC100-240 V 50-60 Hz 1.7 A

RICOH 360 Meeting Hub			
		Power supply from PC via USB Type-C cable	DC5 / 3 A (max)
Power consumption*6		Power supply from AC adapter	45 W
		Power supply from PC via USB Type-C cable	15 W
Environmental condition	Temperature		10-32°C
	Humidity		15-80% (No condensation)
Operating environment	Supported OS		Windows 10, version 1803 or higher / Windows 11 (64bit) // macOS 12 Monterey / macOS 13 Ventura / macOS 14 Sonoma (MacBook Air, MacBook Pro)*7
Operation-checked video conferencing platforms			Microsoft Teams / Zoom / Cisco Webex® / Google Meet™
Accessories			AC adapter 45 W (20 V 2.25 A), AC power plug, USB 3.1/2.0 m/3 A cable (Type-C to C) x 2, Warranty URL, Read This First, Quick Guide
Recommended usage environment (When using the layouts that has the active speakers' focus images)			Number of users*8: 1-8 person(s) Range of seated angle: 45 degrees per person Installation position: The main unit must be placed within 3.6m from the person(s) speaking

RICOH 360 Meeting Hub	
Tripod screw thread	1/4 inch tripod screw hole at the bottom
Standard warranty period	3 years

*1Frame rate is automatically switched depending on the speed of the web conference application in use

*2With AC adapter: 30 fps / With power supply via PC: 10 fps

*3Network is used only on the occasion of firmware update

*4Pin Screen can be set in the RICOH Meeting 360 Apps

*5Network is used only on the occasion of firmware update

*6In case PC is compatible with USB power delivery (PD)

*7macOS is supported from the Firmware Version 0002.0001.0000.0021

*8The theoretical number of users the camera can ideally capture in this recommended environment

Free Software / Downloadable software

Product name	RICOH Meeting 360 Apps for Windows / RICOH Meeting 360 Apps for Mac
Compatible OS	Windows 10, version 1803 or higher / Windows 11 (64bit) / macOS 12 Monterey / macOS 13 Ventura / macOS 14 Sonoma (MacBook Air, MacBook Pro)

[Downloads](#)

[Support](#)

Package contents

- RICOH Meeting 360 V2
- AC adapter
- USB cable (Type-C to C) x 2
- Type-C AC power plug
- Type-BF AC power plug
- Warranty URL sheet
- Read This First
- Quick Guide

Related Products



RICOH Portable Monitor 150

The mains-powered RICOH Portable Monitor 150 can be easily handed to customers or colleagues for a more personal, engaging sharing meeting experience.

[View Product](#)



RICOH Portable Monitor 150BW

Specifically designed for today's meeting requirements and hybrid working environments, the battery-powered RICOH Portable Monitor 150BW makes meetings more productive and

[View Product](#)



RICOH Monitor Stylus Pen Type 1

The perfect companion to your RICOH Portable Monitor. The stylus pen enables users to draw, annotate and mark-up content quickly and with ease.

[View Product](#)



RICOH Compact Laser Projectors

These two space saving models are perfect for everyday use in smaller office spaces and meeting rooms. The WUL5860 packs an impressive 4700 lumens.

[View Product](#)



RICOH Standard & Short Throw Laser Projectors

Here to solve your meeting room projector needs big or small. The Standard Throw can project a 60-inch image, the Short Throw can project images from 51cm.

[View product](#)



RICOH Broad Use Laser Projectors

The RICOH Broad Use Laser Projector offers power and versatility across a broad range of use cases and environments.

[View product](#)



RICOH High End Laser Projectors

The pinnacle of power – these three models boast laser light sources in 7200, 8500 and 9600-lumens options.

[View Product](#)

Our family of brands



[Cookies](#) [Terms of Use](#) [Privacy](#) [GDPR](#) [Environment](#) [General Enquiry](#)

Follow us